

Front cooking station KST2200 Plus



- ▶ Placement niche
 - ✓ Utility surface: W 805 x D 600 mm
 - ✓ Designed for 2 table-top units
- ▶ 4 sockets
 - ✓ 2 x 230 V
 - ✓ 2 x 400 V 16A CEE
- ▶ Integrated ventilation
 - ✓ With stainless steel flame protection filter
 - ✓ Switchable in 4 levels
- ▶ 4 GN 1/9 containers
 - ✓ 100 mm deep
- ▶ Suitable for cooking station KST2200 Plus
 - ✓ Platform 100 KST Plus
 - ✓ Platform 200 KST Plus
 - ✓ Side work surface KST Plus

Description

A mobile cooking station for a professional look in front cooking areas. From a 230 V induction cooker to a 400 V Series 650 solid griddle plate – extremely flexible for use in catering, for events, and in front cooking areas with room for 2 table-top units.

Features

- | | |
|--------------------------------------|--|
| • Material: | CNS 18/10 |
| • Designed for: | 2 table-top units |
| • With glass top: | Yes |
| • Important information: | The connection cable must be attached by a specialist at the site |
| • Size glass superstructure: | W 1075 x D 740 x H 345 mm |
| • Equipped with: | Storage compartment below the setting niches, dimensions: W 805 x D 600 x H 150 mm |
| | 4 GN containers 1/9 GN, 100 mm deep for oils, sauces, cooking cutlery |
| | Integrated electrical fuse |
| | Integrated ventilation with flame protection filter |
| | Type A |
| | 1 |
| • Flame protection filter: | W 805 x D 600 mm |
| • Number of niches: | Activated carbon filter |
| • Dimensions of niche utility space: | Zeolit-filter |
| • Filter type: | Flame protection filter |
| | Wire mesh filter |

▶ Continue on the next page

Front cooking station KST2200 Plus

- Number of filters: 2
- Material filter: Stainless steel
- Fan regulation: 4-level
- Lighting: LED
- Swivel casters: On the germ guard
- ON/OFF switch: 4 swivel casters, 2 with brake
- Control lamp: Yes
- Not included in delivery: ON/OFF
- Electrical appliances
- Platforms
- Side work surfaces
- Connection cable
-
- Including: 2 x 230 V, 2 x 400 V 16A CEE
- Plug design: 3 NAC
- Equipment connection: 20 kW | 400 V | 50/60 Hz
- Power load: W 1,125 x D 770 x H 1,265 mm
- Size: 108.4 kg
- Weight:



Front cooking station KST2200 Plus

Add on Products

Platform 200 KST Plus

CNS
18/10



- Important information: -
- Material: CNS 18/10
- Size: W 400 x D 595 x H 200 mm
- Weight: 7.4 kg

Code-No. 107277
GTIN 4015613684659

Platform 100 KST Plus

CNS
18/10



- Material: CNS 18/10
- Important information: Designed for KST Plus / KST Eco cooking stations
- Size: W 400 x D 595 x H 100 mm
- Weight: 3.1 kg

Code-No. 107276
GTIN 4015613682549

Side table KST Plus

CNS
18/10



- Including: Attachment material
- Important information: -
- Assembly side: Left
- Material: CNS 18/10
- Size: W 700 x D 350 x H 80 mm
- Weight: 4.4 kg

Code-No. 107279
GTIN 4015613695341

Electric range 650, B400, 2PL, TGOK



- Power load: 4,1 kW | 400 V | 50/60 Hz
- Equipment connection: 3 NAC
- Type: Table-top unit
- Distribution of hobs: 1 x 2,6 kW, 1 x 1,5 kW
- Height-adjustable feet: No
- Size hobs: 1 x Ø 220 mm, 1 x Ø 180 mm
- Properties: -

Code-No. 115006
GTIN 4015613697550

Front cooking station KST2200 Plus

Add on Products

Deep fat fryer 650, B400, 10L, TGOK



- Grease collection tank: No
- Type: Table-top unit
- Material: CNS 18/10
- Size basket: W 163 x D 295 x H 110 mm
- Heating element in stainless steel: Yes
- Power load: 9 kW | 400 V | 50/60 Hz
- Series: 650 Snack

Code-No. 115214
GTIN 4015613697604

Neutral element 650, W400, TGOK



- Type: Table-top unit
- Series: 650 Snack
- Material: CNS 18/10
- Important information: Device without chimney - only suitable for use in the cooking station KST3240 Plus
- Size: W 400 x D 595 x H 330 mm
- Weight: 10.9 kg

Code-No. 115117
GTIN 4015613697598

Electric cooker 600 2PLTG



- Power load: 4 kW | 400 V | 50 Hz
- Type: Table-top unit
- Material: CNS 18/10
- Important information: -
- Equipment connection: 2 NAC
- Height-adjustable feet: No
- Properties: -

Code-No. 131723
GTIN 4015613690094

Cerane stove 600, 2 plates, TU



- Type: Table-top unit
- Material: CNS 18/10
- Important information: -
- Power load: 4,3 kW | 400 V | 50/60 Hz
- Properties: -
- Equipment connection: 3 NAC
- Distribution of hobs: 1 x 2,5 kW, 1 x 1,8 kW

Code-No. 131800
GTIN 4015613418193

Front cooking station KST2200 Plus

Add on Products

Griddle plate 600, B400, smooth



CNS
18/10



- Power load: 3,6 kW | 230 V | 50 Hz
- Equipment connection: Pluggable
- Type: Table-top unit
- Number of heating zones: 1
- Material roasting surface: Special steel, hard chrome-plated
- Size heating surface: W 390 x D 440 mm
- Roasting surface design: Smooth

Code-No. 132115
GTIN 4015613547572

Bain Marie 600, W400, TU



CNS
18/10



- Power load: 1,4 kW | 230 V | 50 Hz
- Type: Table-top unit
- Number of tanks: 1
- Water drain tap: Yes
- Water supply tap: No
- Including: -

Code-No. 131760
GTIN 4015613310084

Griddle plate GDP 320E-R



CNS
18/10



- Power load: 3 kW | 230 V | 50 Hz
- Equipment connection: Pluggable
- Type: Table-top unit
- Safety thermostat: Yes
- Temperature range: 50 °C to 300 °C
- Number of heating zones: 1
- Size heating surface: W 320 x D 480 mm

Code-No. 370035
GTIN 4015613610894

Multi-fryer 300



STAINLESS
STEEL



- Type: Table-top unit
- Power load: 3 kW | 230 V | 50-60 Hz
- Grease release tap: Yes
- Grease collection tank: No
- Equipment connection: Pluggable
- Temperature range: 50 °C to 300 °C
- Series: -

Code-No. 370205
GTIN 4015613653488

Front cooking station KST2200 Plus

Add on Products

Induction wok IW 35 PRO-2



- Material: Stainless steel
- Power load: 3,5 kW | 230 V | 50/60 Hz
- Can be installed: No
- Important information: -
- Equipment connection: Pluggable
- Control unit: Touch Electronic

Code-No. 105732
GTIN 4015613706498


Induction wok 3kW, TU



- Power load: 3 kW | 230 V | 50/60 Hz
- Equipment connection: Pluggable
- Control unit: Electronic Toggle Induction
- Type of hobs: Induction
- Series: -
- Control lamp: -

Code-No. 105840
GTIN 4015613468235

Induction wok 30/293



- Power load: 3 kW | 230 V | 50/60 Hz
- Equipment connection: Pluggable
- Control unit: Electronic Toggle Induction
- Type of hobs: Induction
- Series: -

Code-No. 105871
GTIN 4015613712635

Induction wok 35/293



- Power load: 3,5 kW | 230 V | 50/60 Hz
- Control unit: Electronic Toggle Induction
- Type of hobs: Induction
- Series: -
- Overheating protection: Yes
- Digital display: Yes

Code-No. 105872
GTIN 4015613712642

Front cooking station KST2200 Plus Add on Products

Countertop electric hob 1K3000 GL



- Power load: 3 kW | 230 V | 50/60 Hz
- Equipment connection: Pluggable
- Control unit: Electronic Toggle
- Number of hobs: 1
- Control lamp: yes
- Size cerane surface: W 350 x D 350 mm

Code-No. 104906
GTIN 4015613432540

Induction cooker IK 30TC-1



- Temperature range: 60 °C to 240 °C
- Power load: 3 kW | 230 V | 50-60 Hz
- Material: Stainless steel
- Intervals time setting: 1 minute / 10 minutes
- Time adjustment: 1 to 180 minutes
- Important information: -
- Number of temperature levels: 10

Code-No. 105991
GTIN 4015613698946

Induction cooker IK 30TCS-1



- Intervals time setting: 1 minute / 10 minutes
- Temperature range: 60 °C to 240 °C
- Power load: 3 kW | 230 V | 50-60 Hz
- Material: Stainless steel
- Time adjustment: 1 to 180 minutes
- Important information: -
- Number of temperature levels: 10

Code-No. 105991S
GTIN 4015613714882

Induction cooker IK 35TCS



- Temperature range: 60 °C to 240 °C
- Number of temperature levels: 10
- Power load: 3,5 kW | 230 V | 50/60 Hz
- Equipment connection: Pluggable
- Control unit: Electronic Touch
- Number of hobs: 1

Code-No. 105843S
GTIN 4015613638300

Front cooking station KST2200 Plus

Add on Products

Table top induction stove ITH 35S-220



- Diameter hob(s): 220 mm
- Power load: 3,5 kW | 230 V | 50 Hz
- Equipment connection: Pluggable
- Number of hobs: 1
- Control lamp: -
- Type of hobs: Induction
- Size cerane surface: W 290 x D 290 mm

Code-No. 105984
GTIN 4015613676623

Induction stove ITH 35-265



- Diameter hob(s): 265 mm
- Output hob(s) max.: 3500 W
- Power load: 3,5 kW | 230 V | 50/60 Hz
- Equipment connection: Pluggable
- Control unit: Electronic Toggle
- Number of hobs: 1

Code-No. 105994
GTIN 4015613712680

Induction wok IW35



- Power load: 3,5 kW | 230 V | 50/60 Hz
- Equipment connection: Pluggable
- Control unit: Touch Electronic
- Series: -

Code-No. 105986
GTIN 4015613680217

Griddle plate GDP 320E-G



- Power load: 3 kW | 230 V | 50 Hz
- Equipment connection: Pluggable
- Type: Table-top unit
- Safety thermostat: Yes
- Temperature range: 50 °C to 300 °C
- Number of heating zones: 1
- Size heating surface: W 320 x D 480 mm

Code-No. A370031
GTIN 4015613370545

Front cooking station KST2200 Plus

Add on Products

Induction cooker IK 35TC



- Temperature range: 60 °C to 240 °C
- Number of temperature levels: 10
- Power load: 3,5 kW | 230 V | 50/60 Hz
- Equipment connection: Pluggable
- Control unit: Electronic
- Control unit: Touch
- Number of hobs: 1

Code-No. 105843
GTIN 4015613633329

Induction cooker IK 35SK 3,5kW



- Temperature range: 60 °C to 240 °C
- Number of temperature levels: 10
- Power load: 3,5 kW | 230 V | 50 Hz
- Equipment connection: Pluggable
- Control unit: Electronic
- Control unit: Toggle
- Number of hobs: 1

Code-No. 105837
GTIN 4015613520643

GN container, 1/9 GN, D100



- Content: 1 litre(s)
- Stackable: Yes
- Design: No perforation
- Reinforced edge: No
- Properties: -
- Surface: High-gloss
- Depth container: 100 mm

Code-No. A129100
GTIN 4016098169198

GN-container, 1/9GN,D100, Basic Line



- Content: 1 litre(s)
- Stackable: Yes
- Design: No perforation
- Reinforced edge: No
- Surface: Silk matt
- Depth container: 100 mm
- Gastronorm: 1/9 GN

Code-No. 719100
GTIN 4015613695914

Front cooking station KST2200 Plus

Add on Products

Lid 1/9GN

CNS
18/10



- Spoon recess: No
- Silicone seal: No
- Surface: High-gloss
- Gastronorm: 1/9 GN
- Norm: EN 631
- Series: Top Line
- Important information: -

Code-No. A120649
GTIN 4016098169204

Lid 1/9 GN, Basic Line

CNS



- Spoon recess: No
- Silicone seal: No
- Surface: Silk matt
- Gastronorm: 1/9 GN
- Norm: EN 631
- Series: Basic Line
- Material: Chrome-nickel steel

Code-No. 711319
GTIN 4015613695990

Zeolite filter KST Plus



- Material: Zeolite
- Important information: There are 2 zeolite filters in the KST2200 Plus cooking station
There are 3 zeolite filters in the KST3240 Plus cooking station
- Size: W 462 x D 380 x H 16 mm
- Weight: 3.6 kg

Code-No. 107274
GTIN 4015613692326

Oil and grease remover F1L



- Content: 6 x 1 litre
- Model: Liquid
- HACCP compliant: Yes
- Chlorine-free: Yes
- Phosphate-free: Yes
- Including: -
- Order quantity unit: 1 box (6 bottles)

Code-No. 173276
GTIN 4015613761176

Front cooking station KST2200 Plus

Add on Products

Tray slide KST2200 Plus

CNS
18/10



- Including:
 - Material:
 - Important information:
 - Size:
 - Weight:
- | |
|----------------------------|
| Attachment material |
| CNS 18/10 |
| - |
| W 1,100 x D 345 x H 130 mm |
| 4.1 kg |

Code-No. 107289
GTIN 4015613765822