

Combi steamer Silversteam2 P-5230DRS



Description

More efficiency and time savings with the combi-steamer Silversteam2 P 5 x 2/3 GN thanks to even more power. Thanks to the high performance and rack control function, full cooking chambers are no problem at all. Reduced cooking times, faster heating up and the cleaning system speak for themselves.

Features

- Material: CNS 18/10
- Material cooking chamber: CNS 18/10
- Power load: 4,8 kW | 400 V | 50 Hz
- Important information: From a water hardness of 5° dH upwards, we urgently recommend fitting a suitable water softener and a water pressure of maximum 3 bar
- Format drawers: 2/3 GN
- Equipment connection: 3 NAC
- Type of drawers: Crosswise
- Number of drawers: 5
- Distance between trays: 74 mm



- ▶ Combi Steamer Silversteam2 P
- ✓ High power
- ✓ Up to 5 x 2/3 GN



- ▶ Automatic 3-phase cleaning system with drying program



- ▶ Rack control
- ✓ To enable the selection of a program for each shelf
- ▶ Faster heating and reheating times
- ▶ Up to 30% reduction in cooking times
- ▶ Ideal for oven interiors used to full capacity



- ▶ Electronic control with 600 programs (300 preinstalled, 300 programmable); up to 9 cooking phases per program
- ▶ Cooldown during cooking phase

▶ Continue on the next page

Combi steamer Silversteam2 P-5230DRS

- Functions:
 - Combi-steaming
 - Delta-T cooking
 - Steam production by means of direct injection
 - Automatic 3-level cleaning system with drying program
 - Circulating air
 - Low temperature cooking
 - Reversing motor direction (fan wheels)
 - Steam
 - Cooldown during cooking phase
 - Manual steaming
- Cooking mode:
 - One-touch recipe selection
 - Recipe tuner
 - Manual
- Rack control:
 - Yes
- With cleaning system:
 - Yes
- Number of cooking programs:
 - 300 configurable programs
 - 300 pre-installed programs
- Number of cooking phases:
 - 9
- Temperature range:
 - 50 °C to 300 °C
- Temperature control:
 - In 1 °C steps
- Number of fans:
 - 1
- Fan speed:
 - 3 levels
- Time adjustment:
 - 0 to 5999 minutes
- Continuous operation:
 - Yes
- Core temperature sensor connection:
 - Front, bottom
- USB connection:
 - Front, bottom
- Vapour extractor:
 - Yes
- Water connection:
 - 3/4"
- Interior lighting:
 - Yes
- LED display:
 - Delta-T cooking
 - Core temperature
 - Fan speed
 - Temperature
 - Program
 - Steaming
 - Cooking phases
 - Time
 - Touch
- Control unit:
 -
- Control lamp:
 -
- Series:
 - Silversteam2
- Operating mode:
 - Electro
- Properties:
 - Ideal for cooking spaces used to full capacity
 - Bearing rails can be detached
 - Double-winged door pane
 - Rounded cooking chamber
 - LED lighting in door
 - Faster heating and reheating times
 - Up to 30 % reduction in cooking times
- Including:
 - 1 tray 2/3 GN
 - 1 supply hose for cleaning agents
 - 1 water supply hose
 - 1 grid 2/3 GN
- Available on request:
 -
- Size:
 - W 635 x D 775 x H 675 mm
- Weight:
 - 62.24 kg



Combi steamer Silversteam2 P-5230DRS

Add on Products

Base unit Silversteam 230

CNS



- Material: Chrome-nickel steel
- Designed for: 2/3 GN combi-steamers Silversteam2 series
2/3 GN combi-steamers Silversteam series
- Important information: -
- Colour: Silver
- Base shelf: Yes
- Height-adjustable feet: No

Code-No. 115075
GTIN 4015613610641

Core temperature sensor set SST2-D1P



- Designed for: Digital electric combi-steamers from the Silversteam2 series
- Material temperature sensor: Chrome-nickel steel
- Important information: -
- Puncture depth: 80 mm
- Diameter temperature sensor: 3 mm
- Number of measuring points: 1

Code-No. 116109
GTIN 4015613866697

Core temperature sensor set SST2-D4P



- Designed for: Digital electric combi-steamers from the Silversteam2 series
- Important information: -
- Material temperature sensor: Chrome-nickel steel
- Puncture depth: 90 mm
- Diameter temperature sensor: 4 mm
- Number of measuring points: 4

Code-No. 116113
GTIN 4015613877747

Hand shower f. combi steamer



- Length hose: 2 m
- Properties: Shutoff valve for fixed connection to water supply 1/2"
- Including: 1 holder
- Important information: -
- Water connection: 1/2"

Code-No. 116005
GTIN 4015613587189

Combi steamer Silversteam2 P-5230DRS

Add on Products

Pump set f. combi steamer



- Material: Plastic
Metal
- Important information: -

Code-No. 116011
GTIN 4015613595146

Smoker-Box 1160



- Material: Stainless steel
- Model: With heating coil
- Designed for: Combined steamer
- Important information: Maximum smoking temperature: 200 °C
- Comprising: Mains adapter
Smoker-Box
- Volume: 1,16 litre(s)

Code-No. 117712
GTIN 4015613779195

GN-container, 2/3 GN,D20, Basic Line



- Stackable: Yes
- Design: No perforation
- Reinforced edge: No
- Surface: Silk matt
- Depth container: 20 mm
- Gastronorm: 2/3 GN
- Norm: EN 631

Code-No. 723020
GTIN 4015613695624

GN-container, 2/3GN,D65, Basic Line



- Content: 5,5 litre(s)
- Stackable: Yes
- Design: No perforation
- Reinforced edge: No
- Surface: Silk matt
- Depth container: 65 mm
- Gastronorm: 2/3 GN

Code-No. 723065
GTIN 4015613695648

Combi steamer Silversteam2 P-5230DRS

Add on Products

GN-container, 2/3GN,D100, Basic Line

CNS



- Content: 9 litre(s)
- Stackable: Yes
- Design: No perforation
- Reinforced edge: No
- Surface: Silk matt
- Depth container: 100 mm
- Gastronorm: 2/3 GN

Code-No. 723100
GTIN 4015613695655

GN container, 2/3, D65, perforated

CNS
18/10



- Content: 5,5 litre(s)
- Stackable: Yes
- Design: With perforation (holes)
- Reinforced edge: No
- Properties: -
- Surface: High-gloss
- Depth container: 65 mm

Code-No. A103065
GTIN 4015613278940

GN container, 2/3, D65

CNS
18/10



- Content: 5,5 litre(s)
- Stackable: Yes
- Design: No perforation
- Reinforced edge: No
- Properties: -
- Surface: High-gloss
- Depth container: 65 mm

Code-No. A125065
GTIN 4015613271217

GN container, 2/3, D100

CNS
18/10



- Content: 9 litre(s)
- Stackable: Yes
- Design: No perforation
- Reinforced edge: No
- Properties: -
- Surface: High-gloss
- Depth container: 100 mm

Code-No. A125100
GTIN 4015613271224

Combi steamer Silversteam2 P-5230DRS

Add on Products

GN tray 2/3

CNS
18/10



- Gastronorm: 2/3 GN
- Important information: -
- Stackable: Yes
- Design: No perforation
- Reinforced edge: Yes
- Properties: -
- Depth container: 20 mm

Code-No. A101195
GTIN 4015613271781

Perforated tray 2/3-AL



- Diameter perforation: 3 mm
- Gastronorm: 2/3 GN
- Edge: 4 sides, cover
- Silicone coating: No
- Material thickness: 1,5 mm
- Perforation: Yes
- Temperature resistant to: 260 °C

Code-No. 100417
GTIN 4015613734729

Perforated tray 2/3-SI



- Diameter perforation: 3 mm
- Gastronorm: 2/3 GN
- Edge: 4 sides, cover
- Silicone coating: Yes
- Material thickness: 1,5 mm
- Perforation: Yes
- Temperature resistant to: 260 °C

Code-No. 100425
GTIN 4015613734736

BBQ Gloves 425



- Material: Aramid
Silicone print

Code-No. A500514
GTIN 4015613822433

Combi steamer Silversteam2 P-5230DRS

Add on Products

Oven gloves 370



- Properties: With flame protection
With hanger
Fabric density: 640 g/m²
- Material: Cotton 100 % (exterior)
- Colour: Black
- Important information: Do not wash to maintain flame protection
- Can be washed: No

Code-No. A500511
GTIN 4015613735474

Combi steamer cleaner RS-5L



- Order quantity unit: 1 canister
- Designed for: Combi steamers with an automatic dosing system
- Ph level: 14
- HACCP compliant: No
- Chlorine-free: Yes
- Phosphate-free: No

Code-No. 116299V
GTIN 4015613813042

Combi steamer cleaner F10L



- Order quantity unit: 1 canister
- Designed for: Combi steamers with an automatic dosing system
- Content: 10 litres
- Model: Liquid
- Ph level: 13
- HACCP compliant: Yes

Code-No. 173279
GTIN 4015613767925

Power cleaner F1L



- Order quantity unit: 1 box (6 bottles)
- Content: 6 x 1 litre
- Model: Liquid
- HACCP compliant: Yes
- Chlorine-free: Yes
- Phosphate-free: Yes

Code-No. 173278
GTIN 4015613773346

Combi steamer Silversteam2 P-5230DRS

Add on Products

Intensive power cleaner F1L



- Order quantity unit: 1 box (6 bottles)
- Content: 6 x 1 litre
- Model: Liquid
- HACCP compliant: Yes
- Chlorine-free: Yes
- Phosphate-free: Yes

Code-No. 173280
GTIN 4015613773353