

Hot cupboard 700-4T 1400





- Heated cabinet with operation from both sides
 - ✓ Design: 1.4 metre wide
 - 2 sliding doors per side
 - ✓ 1 intermediate shelf



- ► Sturdy stainless steel work surface
- √ W 1,400 x D 700 mm



- Temperature control
 - ✓ Continuous

Description

The heated cabinet with a width of 1.4 metres offers infinitely variable, heated storage with double-sided operation. At the same time, the robust stainless steel surface integrates a solid work element into the kitchen.

Features

• Height adjustable:

• Tilting:

• Material work surface:

• Load-bearing capacity worktop, max.:

• Size work surface:

• Power load:

• Height-adjustable feet:

• Temperature range:

· Control unit:

• Size inside:

• Control lamp:

• Temperature control:

• Delivery state:

• ON/OFF switch:

Number of doors:

· Number of intermediate shelves:

850 mm to 900 mm

Stainless steel

210 kg

W 1400 x D 700 mm

2 kW | 230 V | 50/60 Hz

Yes

20 °C to 80 °C

Electronic

Toggle

W 1255 x D 580 x H 580 mm

yes

Stepless

Permanently mounted

Yes

4

▶ Continue on the next page







Hot cupboard 700-4T 1400

• Load-bearing capacity intermediate shelf, max.: 140 kg Full-surface • Design intermediate shelf: • Height-adjustable immediate shelves:

• Design inside: 2-partitions

• Properties: 40 mm edges turned down

Feet in square tubing 40 x 40 mm

Scotch-Brite sanding Stainless steel

• Material: • Important information:

• Type of door: Sliding door(s)

On both sides Special production

• Available on request:

The list price corresponds to the next higher standard dimension • Size:

W 1,400 x D 700 x H 850 mm

• Weight: 92 kg







Hot cupboard 700-4T 1400

Add on Products

Power cleaner F1L, set of 2



• Designed for: Stubborn dirt, especially in kitchens

Grill and combi steamer cleaning (without

cleaning system)

• Content: 2 x 1 litre • Model:

Liquid

High concentrate • Ph level: 13,5

Stainl.steel polish.spray 500ml can



• Content / can:

Application: Remove heavy soiling such as grease residue

Do not spray onto hot surfaces

• allow them to cool down first:

• Application: Before use, bring the can to room temperature

and shake well

Code-No. 173031 GTIN 4015613360195

Swivel castors 4AW



• Swivel casters: 4 swivel casters, 2 with brake

Important information:

• Diameter casters: 125 mm • Load-bearing capacity max., each: 150 kg

Stainless steel • Material:

Rubber

Code-No. 308242 GTIN 4015613600307