

IT	ARMADIO CALDO - MANUALE ISTRUZIONE PER L'USO
EN	HEATED CUPBOARD - INSTRUCTION MANUAL
DE	WÄRMESCHRANK - BETRIEBSANLEITUNG
FR	MEUBLE CHAUFFANT - MANUEL D'INSTALLATION




347107	348107
347127	348127
347147	348147
347167	348167
347187	348187
347207	348207




ISTRUZIONI ORIGINALI - ORIGINAL INSTRUCTIONS- ORIGINALANLEITUNG - INSTRUCTIONS ORIGINAUX

ATTENZIONE! prima di utilizzare l'apparecchio leggere attentamente le istruzioni
WARNING! read carefully the instructions before using the appliance
ACHTUNG! vor der Anwendung lesen Sie bitte die aufgeführten Hinweise aufmerksam
ATTENTION: avant d'utiliser l'appareil merci de lire les instructions

**SCHEMA DI INSTALLAZIONE
 INSTALLATION DIAGRAM
 INSTALLATIONSPLAN
 SCHEMA D'INSTALLATION**



**SCHEMA ELETTRICO
 WIRING DIAGRAM
 SCHALTPLAN
 CABLAGE**




- 1. INTRODUCTION
- 2. TECHNICAL DATA
- 3. INSTALLATION AND COMMISSIONING
- 4. MAIN RULES
- 5. USE OF THE APPLIANCE
- 6. DISPOSAL AND RECYCLING OF THE APPLIANCE

1. INTRODUCTION

This section shows the symbols and provides information about the model of the appliance, the various responsibilities and the copyright. It concerns heated cupboards. For further information refer to paragraph "Technical data" (2).

DATA PLATE



- The data plate shows the identification and technical data of the product.
- The data plate is inside the appliance on the right upper part of the heating panel.



WARNING!

- Do not remove, tamper with or erase the "CE" mark of the appliance.
- Refer to the data on the "CE" plate of the appliance in all communication with the Manufacturer (for example: when asking for spare parts, etc..)
- The "CE" plate has to be destroyed while scraping the appliance.

The present handbook is intended solely for consultation by the operator. Its content could be modified without notice. The Manufacturer reserves the right to stop the manufacturing of any model and/or introducing product changes but is not obliged to change products delivered before the modification and declines all responsibilities for any inaccuracy may appear on this handbook related to printing or translation mistakes.

The company cannot assume liability for damage and faulty operation due to:

- Failure to obey the instructions of this handbook;
- Modification or appliance alteration;
- Maintenance by unspecialized technicians ;
- Insufficient maintenance;

- Improper use of the appliance;
- Exceptional and unforeseeable events;
- Unrespect to domestic legislation on health, hygiene and safety at the workplace;
- The employer is responsible for the periodic training of the operators about the correct use, safety rules and fire prevention.

2. TECHNICAL DATA

RANGE OF HEATED CUPBOARDS

Supply voltage	V	220-240
Frequency	Hz	50-60
Max. power input	W	2000
Max. current requirement	A	10
Power cord	Mmq-H05RN-F	3x1,5
Max. supply Voltage variation		+/- 10%
Max. Frequency variation	continuous	+/-1%
Max. Frequency variation	Short period	+/- 2%



WARNING!

- The electric power system and the rooms where the appliance is placed have to respect domestic legislation on safety, accident prevention and fire regulations. On the contrary the Manufacturer won't assume liability for direct and indirect damages to people or things.



3. INSTALLATION AND COMMISSIONING



WARNING!

- Intervention on the electric power system must be solely performed by specialized electricians.

Proceed according to the following instruction before connecting the appliance:

- Remove the packaging and then the protective film taking care not to scratch the surface;
- Arrange the appliance and adjust its height and level by means of the adjustable feet;
- Make sure the power supply of the appliance shown on the data plate is compatible with the grid voltage;
- Check the power supply of the system is set up and able to take the current load, and meets the legal requirements and domestic standards;
- The appliance must be earthed;
- In case of direct connection to the electricity grid (without plug), it's necessary providing for a wall switch or a contactor, which grant the complete disconnection according to overvoltage III rate and accordingly to installation rules;
- Have the system tested by a qualified electrician, if operation of the equipotential earth connection or the safety of the electrical system is in doubt, the symbol below identifies the equipotential connection:



The Manufacturer declines all responsibilities in case of connection made by the user or unspecialized staff



WARNING!

- After installation dispose of the packaging according to current regulations.

This appliance is designed and optimized to ensure high performance and efficiency. The sole use of this appliance is to store and heat tableware. Any other use is not permitted (e.g. heating food).



WARNING!

- Contact with hot tableware can cause burns.
- Use always suitable safety equipment while handling objects

4. MAIN RULES

The Manufacturer does not assume responsibility for faults or damage due to tampering the appliance. This appliance must be used by skilled persons that must be periodically trained for its correct use and according to the safety regulations and prevention of accidents. Contact with hot tableware in the appliance can cause health risks. In order to prevent them use safety equipment and act with suitable caution.




WARNING!

- Intervention on the electric power system must be solely performed by specialized electricians.

5. USE AND CLEANING OF THE APPLIANCE

OPERATING ELEMENTS



USE

Connect the appliance to the electric current.

Press the main switch on the supply panel that powers the appliance.

Switch on the button "A" to position "I". When the button "A" is switched on, it is lighted up and the appliance is under power.

Turn the thermostat control knob "C" to reach the desired temperature (30/90°C). Turn the control knob clockwise to increase the temperature.

To decrease the temperature turn the thermostat control knob "C" to "O" position. The heating is so disconnected but the appliance is under power.

The fan inside the appliance grants an equally distributed air circulation.

In order to use the appliance correctly, arrange the plates in two rows inside the compartment, leaving a gap of approx. 80 mm between them so that the air can circulate.

Avoid amassing plates around the holes for air circulation

Switch off the bottom "A" to position "O" and switch off finally the main power supply line ahead of the appliance.

CLEANING



WARNING!

Before cleaning the appliance turn it off and suspend the power source (take the plug off). The appliance is not suitable to a direct cleaning with a water stream. Don't use high pressure water streams to clean the appliance. Be careful so that the water doesn't leak in the appliance.



Before cleaning take the dishes off. Clean the stainless steel surfaces inside with a damp rag with warm water and neutral soap, rinse thoroughly and dry carefully. Clean the stainless steel surfaces outside with lukewarm water and neutral soap, rinse thoroughly and dry carefully. Don't use abrasive products, steel wools, brushes, etc.

In case of long period of inactivity, store the appliance in a cool and dry place.



6. DISPOSAL AND RECYCLING

Dispose of the appliance responsibly and respect the environment at the end of its useful life. Proceed with its disposal in accordance with domestic regulation.



POS./POS.
POS./POS.

CODICE/ITEM NO.
ART.NR./REFERENCE

DESCRIZIONE/DESCRIPTION/BESCHREIBUNG/DESCRIPTION

1		PORTA SCORREVOLE/SLIDING DOOR/SCHIEBETÜR/PORTE COULISSANTE
2	NS2PST010010	PIASTRINA CON RUOTA/WHEEL SUPPORT FOR SLIDING DOOR/RAD ZUR SCHIEBETÜR/ SUPPORT POUR GLISSEMENT PORTE COULISSANTE
3		TRAMEZZA/MIDDLE SHELF/ZWISCHENBORD/ETAGERE
4	NS5MOT010001	CORPO RISCALDANTE/FAN/HEIZELEMENT/ELEMENT CHAUFFANT
5	NS3CRU010001	CRUSCOTTO/CONTROL PANEL/SCHALTBRETT/PANNEAU DE CONTRÔLE
6	NS5INT010001	INTERRUTTORE BIPOLARE LUMINOSO/SWITCH ON-OFF/SCHALTER/INTERRUPTEUR
7	NS5TER010001	TERMOSTATO/THERMOSTAT/THERMOSTAT/THERMOSTAT
8	NS4PIE010001	PIEDINO/FOOT/FÜß/VERIN
9		PANNELLO/PANEL/DECKUNGSBLECH/PANNEAU