

CRNF2121

Freezer Room

Product Features

- Plug-In - ready after assembly
- Many customisation possibilities
- Easy access to products
- Freezing unit
- Easy assembly
- 120 mm panel insulation
- Anti-slip floor in SS304 stainless steel
- Alarm kit as accessory
- Shelves available as accessory
- Ramp available as accessory for easy access

Ideal, cost-effective, efficient storage with the freezer room

TEFCOLD freezer rooms are a great plug-in solution with speedy and simple assembly. The cooling unit arrives completely pre-mounted on a panel so extra expert knowledge is not required for installation. The interchangeable modular panels allows for various positioning of both the freezing unit and the panel with the door within it depending on exact sizing. The freezer room is ideal for restaurants, deli and café settings as well as similar hospitality environments. Create an optimal efficient cooling space at a very affordable price, with a great range of sizes to suit your premises and those of your customers. These rooms are available in freezer and cooling options and shelving is available as an optional extra. You can also make use of a ramp which you can purchase as an add-on. This provides easy access by using lightweight trolleys and baking racks. Please note the freezer room isn't suitable for pallet trucks or pallet jacks. Both our freezer rooms and cold rooms offer good energy efficiency, reducing energy consumption. This is due to the polyurethane insulation in the panels combined with the energy efficient cooling system that works to minimise energy wastage. The freezer and cold room range are suitable for indoor use only.

Measures and Content

Internal Volume	m³	6.78
Wall Thickness	mm	120
Insulation Density	kg/m³	42
Temperature Range	°C	-20 to -10
Climate Class		5
Gross / Net Weight	kg	710 / 680
Gross / Net Volume	l	

Design and Material

Door Number & Type	1 hinged solid door W:700 H:1765	
Max Load on Floor	kg/m²	2000
Exterior Finish	White	
Interior Finish	White	
Interior Light	LED	
Lock	Yes	

Cooling and Functions

Type of Controller	Electronic	
Type of Cooling	Ventilated	
Type of Defrost	Automatic, hot gas	
Refrigerant	R290	
Refrigerant Charge	g	150
Thermometer	Yes	

Power and Consumption


Max Ambient	40°C at 40% RH	
Energy Consumption	kWh/24h	27.02
Annual Energy Consumption	kWh/year	9864
Power	13 Amp	
Input Power	W	1510
Voltage / Frequency	V/Hz	220-240/50
Noise Level	dB(A)	60

Dimensions

Internal Dimension (WxDxH)	mm	1860 x 1860 x 1960
External Dimension (WxDxH)	mm	2100 x 2100 x 2200
Packed Dimension (WxDxH)	mm	2200 x 1900 x 2400
40ft Container Load	pcs	10



Strong handle



Shelf as accessory