



## **FSC1000H BLACK**

Glass Door Merchandiser

## **Product Features**

- Illuminated canopy
- · Internal vertical light
- Black interior and exterior
- Adjustable shelves
- Adjustable feet
- Ventilated cooling
- Hinged alu-framed glass doors
- Adjustable feet with rollers to rear
- Self-closing doors

The FSC-H Black range combines a quality unit at a very competitive price. Excellent build quality with a powerful fan assisted refrigeration system, sturdy hinged door, and LED light canopy that can have branding added to create extra impact. The black interior combined with the excellent vertical LED lighting (2 light strips on each door) really helps product stand out to customers.

Measures and Content		
Temperature Range	°C	+2 to +10
Climate Class		4
Gross / Net Weight	kg	175 / 162
Gross / Net Volume	I	796 / 524
Design and Material		
Door Number & Type		2 hinged glass doors
Tempered glass		Yes
Door Reversible		No
Shelves Number & Type		5 wire shelves black
Shelf Color		Black
Shelf Dimensions		870 x 540 mm
Bottom Shelf Dimensions		870 x 475
Max load on Shelves	kg/m²	196
Canopy Type		L-Shape
Canopy Light		LED
Feet / Legs		4 adjustable feet
Castors		4 rollers
Exterior Finish		Black RAL9005
Interior Finish		Black (RAL9005)
Interior Light		LED
Lock		Yes
Cooling and Functions		
Cooling and Functions  Type of Controller		Electronic
-		
Type of Controller	=	Electronic
Type of Controller Type of Cooling		Electronic Ventilated
Type of Controller Type of Cooling Type of Defrost	g	Electronic Ventilated Automatic
Type of Controller Type of Cooling Type of Defrost Refrigerant	g	Electronic Ventilated Automatic R290
Type of Controller Type of Cooling Type of Defrost Refrigerant Refrigerant Charge	g	Electronic Ventilated Automatic R290 120
Type of Controller Type of Cooling Type of Defrost Refrigerant Refrigerant Charge Thermometer	g	Electronic Ventilated Automatic R290 120
Type of Controller Type of Cooling Type of Defrost Refrigerant Refrigerant Charge Thermometer Power and Consumption	g	Electronic Ventilated Automatic R290 120 Yes
Type of Controller Type of Cooling Type of Defrost Refrigerant Refrigerant Charge Thermometer Power and Consumption Energy Class	g kWh/24h	Electronic Ventilated Automatic R290 120 Yes
Type of Controller Type of Cooling Type of Defrost Refrigerant Refrigerant Charge Thermometer Power and Consumption Energy Class Max Ambient		Electronic Ventilated Automatic R290 120 Yes
Type of Controller Type of Cooling Type of Defrost Refrigerant Refrigerant Charge Thermometer Power and Consumption Energy Class Max Ambient Energy Consumption	kWh/24h	Electronic Ventilated Automatic R290 120 Yes  F 30°C at 55% RH 5.96
Type of Controller Type of Cooling Type of Defrost Refrigerant Refrigerant Charge Thermometer Power and Consumption Energy Class Max Ambient Energy Consumption Annual Energy Consumption	kWh/24h	Electronic Ventilated Automatic R290 120 Yes  F 30°C at 55% RH 5.96 2175
Type of Controller Type of Cooling Type of Defrost Refrigerant Refrigerant Charge Thermometer Power and Consumption Energy Class Max Ambient Energy Consumption Annual Energy Consumption Power	kWh/24h kWh/year	Electronic Ventilated Automatic R290 120 Yes  F 30°C at 55% RH 5.96 2175 13 Amp
Type of Controller Type of Cooling Type of Defrost Refrigerant Refrigerant Charge Thermometer Power and Consumption Energy Class Max Ambient Energy Consumption Annual Energy Consumption Power Input Power	kWh/24h kWh/year W	Electronic Ventilated Automatic R290 120 Yes  F 30°C at 55% RH 5.96 2175 13 Amp 450
Type of Controller Type of Cooling Type of Defrost Refrigerant Refrigerant Charge Thermometer  Power and Consumption Energy Class Max Ambient Energy Consumption Annual Energy Consumption Power Input Power Voltage / Frequency	kWh/24h kWh/year W V/Hz	Electronic Ventilated Automatic R290 120 Yes  F 30°C at 55% RH 5.96 2175 13 Amp 450 220-240/50
Type of Controller Type of Cooling Type of Defrost Refrigerant Refrigerant Charge Thermometer Power and Consumption Energy Class Max Ambient Energy Consumption Annual Energy Consumption Power Input Power Voltage / Frequency Noise Level	kWh/24h kWh/year W V/Hz	Electronic Ventilated Automatic R290 120 Yes  F 30°C at 55% RH 5.96 2175 13 Amp 450 220-240/50
Type of Controller Type of Cooling Type of Defrost Refrigerant Refrigerant Charge Thermometer  Power and Consumption Energy Class Max Ambient Energy Consumption Annual Energy Consumption Power Input Power Voltage / Frequency Noise Level Dimensions	kWh/24h kWh/year W V/Hz dB(A)	Electronic Ventilated Automatic R290 120 Yes  F 30°C at 55% RH 5.96 2175 13 Amp 450 220-240/50 48
Type of Controller Type of Cooling Type of Defrost Refrigerant Refrigerant Charge Thermometer Power and Consumption Energy Class Max Ambient Energy Consumption Annual Energy Consumption Power Input Power Voltage / Frequency Noise Level Dimensions Internal Dimension (WxDxH)	kWh/24h kWh/year W V/Hz dB(A)	Electronic Ventilated Automatic R290 120 Yes  F 30°C at 55% RH 5.96 2175 13 Amp 450 220-240/50 48



LED light